

NS-1790A

电子平头锁眼机

ELECTRONIC TRICKS

采用新型旋梭，实现美观线迹效果。
高效节能、舒适缝纫！

Accurate sewing based on sewing data




产品特点 Product features



山缝
Purl stitch



平缝
Whip stitch



代表性的缝纫图案
Representative sewing pattern

1. 新型旋梭防止缝纫问题

采用新型旋梭，防止断线，收线不良等缝纫跟问题。低张力线迹美观，山缝和平缝都能很好呈现。

1. New type of hook to prevent sewing problems

4. Using the new model of hook to prevent the thread broken. Low tension makes beautiful stitches.

2. 细小图案也能呈现美观的线迹

针摆最小分辨率每个脉冲提高 0.05mm，防止切刀后切开部位起毛。各种缝纫图案都能准确缝制。

2. Small pattern with beautiful stitches

Needle pendulum minimum resolution of each pulse increased 0.05mm, to prevent the incision after the knife part of the fluff. All kinds of sewing patterns can be accurately sewn.

3. 衬底缝功能有效应对难缝面料

具有衬底缝功能，即使针织等容易松弛的面料也可以轻松缝纫。

3. Substrate stitch function effectively deal with the fabric

With the substrate seam function, even if the knitting and other easy to relax the fabric can also be easily sewing.



有衬底
Has substrate



无衬底
No substrate

4. 衬底缝图案

4. Substrate pattern



矩形
rectangle

有效防止面料的松弛，保持线迹的柔软性同时，提高扣眼的强度。
Effective for preventing material from stratching. Keep flexibility of the stitch, reinforcing the buttonhole.



山行
Mountain line

有效防止面料的松弛，防止打结部位的褶皱产生，有效防止脱线。
This is useful for preventing dimples from forming during bar tacking. It is also useful for stretching the buttonholes to stop the seam from unraveling, which can often happen with materials with coarse weaves.



交叉缝
Cross seam

锁眼线迹形成前事先缝合开孔部位，事先压平起毛面料的绒毛，使扣眼外观更美观。
Use for resewing. The pile of fluffy fabrics is pressed down before sewing, so that the buttonhole finish looks more attractive.



之字形*
Zigzag*

有效防止脱线，可以在矩形或山行后使用。
This is effective in preventing seams from unraveling in materials.

5. 简单直观的操作面板

大图标和大文字显示的液晶面板, 缝纫图案的设定、确认; 缝纫模式的切换, 易懂易操作。此外还能对应多种语言环境。

5. Simple and intuitive operation panel

Large screen and large text display of the LCD panel, sewing pattern settings to confirm the sewing mode switch easy to understand and easy to operate and corresponds to a variety of language environments.

7. 模式键

穿线模式、复制模式等便利功能可以一键设定。

7. Mode key

Threading mode, copy mode and other convenient features can be a key set.

6. 快捷键

可以迅速对使用率较高的缝纫图案的宽幅, 尺寸等进行设定。

6. Shortcuts

It is possible to quickly set the width, size, and the like of the sewing pattern having a high utilization rate.



生产计数

生产件数可计算到 999999 件。

Production count

Production count can be calculated to 999999 pieces.

底线计数

可防止缝纫中途无底线。

Bobbin thread count

Counting the bobbin thread to save fabric.

产品规格 Specifications

规格 Specification	NS-1790A
最高缝纫速度 Max. sewing speed	4200 rpm
缝制区域(XxY) Sewing area (XxY)	Max.120mm
针摆驱动方式 Needle drive mode	脉冲马达驱动方式 Pulsed motor drive mode
送布驱动方式 Feeding drive mode	脉冲马达驱动方式 Pulsed motor drive mode
抬压脚驱动方式 Lift the foot drive mode	脉冲马达驱动方式 Pulsed motor drive mode
抬压脚高度 Max. number of stitches	最大Max. 14mm
切刀驱动方式 Cutter drive mode	脉冲马达驱动方式 Pulsed motor drive mode
下夹线装置 bobbin thread catch device	标准装备 Standard equipment
梭芯压脚装置 Bobbin presser foot device	标准装备 Standard equipment
标准缝纫图案 Standard sewing pattern	21
存储图案数 Number of stored patterns	50
最大针数/1个程序 Max. number of needles / 1 program	999
机针 Needle	134 Nm90
数据存储方式 Data storage	U盘 / U disk
电源 Power supply	单相 Single phase 110V/220V, 三相 Three phase 220V/380V

以上型号仅供参考, 详细情况请咨询当地经销商。

The above types are only for reference, and you can consult local distributors for details.

为了改良, 产品规格若有变更, 恕不另行通知。为安全起见, 使用之前, 请仔细阅读使用手册。

Specifications are subject to change for improvement without further notice. Please carefully read the operating manual before use for safety.

应用实例 Application example

